

MEASUREMENT AND TEST EQUIPMENT
01/23/12

PAGE 1	MEASUREMENT AND TEST EQUIPMENT (M&TE) STANDARDS, NIST TRACEABLE NUMBERS AND M&TE DUE DATES – 2 year cycle
PAGE 2	MEASUREMENT AND TEST EQUIPMENT (M&TE) STANDARDS, NIST TRACEABLE NUMBERS AND M&TE DUE DATES – 4 year cycle
PAGE 3-4	MEASUREMENT AND TEST EQUIPMENT (M&TE) STANDARDS, NIST TRACEABLE NUMBERS AND M&TE DUE DATES – 1 year cycle

Pi Tape Corporation
344 North Vinewood St.
Escondido CA 92029-1337
USA

Phone # 760 746-9830
Fax # 760 746-9196

PI TAPE® precision measuring products
Quality since 1944



MEASUREMENT AND TEST EQUIPMENT (M&TE) STANDARDS

CALIBRATION OF M&TE'S IS TRACEABLE TO THE NATIONAL INSTITUTE OF STANDARDS AND TECHNOLOGY. ALL STANDARDS ARE CALIBRATED AT A MINIMUM OF A 4:1 RATIO. (NOTE: GAGE SIZES ARE USED AS REFERENCE SIZES AND ARE NOT A DIRECT CONVERSION FROM INCH TO METRIC OR FROM O.D TO O.C.)

THE FOLLOWING STANDARDS ARE CALIBRATED EVERY TWO YEARS TO GUARANTEE ACCURACY:

<u>MT&E</u>	<u>VENDOR</u>	<u>NIST TRACEABLE #</u>	<u>M&TE DUE DATE</u>
5" (127mm) I.D. RING GAGE # 5000	ACCURATE LAB	#0102554	Mar-25-13
12" (300mm) I.D. RING GAGE # 1944	AMER GAGE	#83409-1	May-06-12
16" (400mm) I.D. RING GAGE # 6000	AMER GAGE	#83409-4	May-06-12
44" (1100mm) O.D. RING GAGE #1144 (138"OC)	AMER GAGE	#87193-1	Jun-13-13
WEBBER 6" GAGE BLOCK # 100-4	STARRETT/WEBBER	#10-76604-C	Jul-15-12
WEBBER 6" GAGE BLOCK # 100-2	STARRETT/WEBBER	#10-76604-A	Jul-15-12
WEBBER 6" GAGE BLOCK # 100-6	STARRETT/WEBBER	#10-76604-E	Jul-15-12
WEBBER 6" GAGE BLOCK # 100-7	STARRETT/WEBBER	#10-76604-F	Jul-15-12
WEBBER 6" GAGE BLOCK # 100-5	STARRETT/WEBBER	#10-76604-D	Jul-15-12
WEBBER 6" GAGE BLOCK # 100-3	STARRETT/WEBBER	#10-76604-B	Jul-15-12
T LINEAR MACHINE # 62494	PI TAPE	#62494092010	Sep-09-12
FRACTIONAL WEBBER GAGE BLOCKS SERIAL # 4.3064SA1	STARRETT/WEBBER	#10-76604-G	Jul-20-12
T LINEAR MACHINE #31738	PI TAPE	#31738092010	Sep-09-12
T LINEAR MACHINE #113004	PI TAPE	#113004011111	Jan-11-13

T signifies Tamper Resistant Seal – All seals verified and recorded each workday

THE FOLLOWING STANDARDS ARE CALIBRATED EVERY **FOUR YEARS** TO GUARANTEE ACCURACY:

<u>MT&E</u>	<u>VENDOR</u>	<u>NIST TRACEABLE #</u>	<u>M&TE DUE DATE</u>
2-3" MICROMETER # 8166613	AMER GAGE	#83403-2	May-05-14
1-2" MICROMETER # 216	AMER GAGE	#83403-1	Apr-30-14
TRAV-A-DIAL # 347	ACCURATE LAB	#0085906	May-13-14

THE FOLLOWING STANDARDS ARE CALIBRATED EVERY ONE YEAR TO GUARANTEE ACCURACY:

<u>MT&E</u>	<u>VENDOR</u>	<u>NIST TRACEABLE #</u>	<u>M&TE DUE DATE</u>
.375" O.D. GAGE # 42796	AMER GAGE	#86432-2	Mar-29-12
.500" O.D. GAGE # 42596	AMER GAGE	#86432-3	Mar-29-12
.625" O.D. GAGE # 42696	AMER GAGE	#86432-4	Mar-29-12
1" (25mm) O.D. GAGE #1000 (3"OC)	AMER GAGE	#86432-5	Mar-29-12
3" (76mm) O.D. GAGE # 3000 (9"OC)	AMER GAGE	#88302-1	Oct-10-12
9" (228mm) O.D. RING GAGE #900 (28"OC)	AMER GAGE	#87666-1	Aug-03-12
13" (315mm) O.D. GAGE #042299 (40"OC)	AMER GAGE	#85991-2	Feb-16-12
19" (480mm) O.D. GAGE #1619 (59"OC)	AMER GAGE	#86724-1	May-02-12
20" (500mm) O.D. GAGE #042199 (62"OC)	AMER GAGE	#85991-3	Feb-16-12
24" (600mm) O.D. GAGE #201 (75"OC)	AMER GAGE	#86903-2	May-12-12
27" (700mm) O.D. RING GAGE #1128 (84"OC)	AMER GAGE	#86724-2	May-02-12
36" (900mm) O.D. RING GAGE #36585 (115"OC)	AMER GAGE	#87666-2	Aug-03-12

(CONTINUED ON NEXT PAGE)

THE FOLLOWING STANDARDS ARE CALIBRATED EVERY ONE YEAR TO GUARANTEE ACCURACY (CON'T):

	<u>MT&E</u>	<u>VENDOR</u>	<u>NIST TRACEABLE #</u>	<u>M&TE DUE DATE</u>
	5" (127mm) O.D. RING GAGE #555 (16"OC)	AMER GAGE	#85991-4	Feb-16-12
	4.9" (125mm) O.D. RING GAGE #102098 (15"OC)	AMER GAGE	#86903-1	May-12-12
	DIGITAL INDICATOR (1" RANGE) #6496	ACCURATE LAB	#0102557	Mar-25-12
T	HYGROMETER ABBEON #24833	AMER GAGE	#85991-1	Feb-16-12
	INFORMER II DIGITAL THERMOMETER #91798	AMER GAGE	#89117-1	Dec-22-12
	DIGITAL THERMOMETER #52590	TEKTRONIX	#5463318	Sep-07-12
T	0-30# SPRING SCALE # 52490	AMER GAGE	#85991-5	Feb-16-12
	1# WEIGHT #6679-1	TEKTRONIX	#5462919	Sep-07-12
	2# WEIGHT # 2S7E	TEKTRONIX	#5462950	Sep-07-12
	5# WEIGHT #6676-1	TEKTRONIX	#5462860	Sep-07-12
T	HUMIDITY INDICATOR #24826	AMER GAGE	#86432-1	Mar-29-12
	OPTICAL COMPARATOR #R041507	CAL-LABS	#5867	Jan-11-13
	48" (1200mm) O.D. RING GAGE #1148 (150"OC)	AMER GAGE	#87340-1	Jun-28-12
	55" (1400mm) O.D. RING GAGE #1155 (172"OC)	AMER GAGE	#87340-2	Jun-28-12

T signifies Tamper Resistant Seal – All seals verified and recorded each workday

End of document